

Link-Belt[®]

CONSTRUCTION EQUIPMENT

HTC - 8670 LB

CRANE RATING MANUAL
4 - SECTION POWER BOOM

SEE NUMBER

F250-4218

For Replacement, Order Part Number: F2P0159
(080399)

© Link-Belt is a registered trademark.

Table Of Contents

Page Contents

3-4	Operating Instructions
5	General Dimensions
5	Tire Inflation
5	Pontoon Loadings
6	Boom Mode "A" and "B"
7	Winch Performance
7	Wire Rope Capacity
7	Hydraulic Circuit Pressure Settings
8	Working Areas
8	Capacity Deductions for Auxiliary Load Handling Equipment

Fully Extended Outriggers

9	Working Range Diagram, 0# CTWT
10-14	Lifting Capacities, 0# CTWT
15	Working Range Diagram, 4,000# CTWT
16-22	Lifting Capacities, 4,000# CTWT
23	Working Range Diagram, 8,000# CTWT
24-32	Lifting Capacities, 8,000# CTWT
33	Working Range Diagram, 12,000# CTWT
34-42	Lifting Capacities, 12,000# CTWT
43	Working Range Diagram, 16,000# CTWT
44-52	Lifting Capacities, 16,000# CTWT

Intermediate Extended Outriggers

53	Working Range Diagram, 4,000# CTWT
54-56	Lifting Capacities, 4,000# CTWT
57	Working Range Diagram, 8,000# CTWT
58-60	Lifting Capacities, 8,000# CTWT
61	Working Range Diagram, 12,000# CTWT
62-66	Lifting Capacities, 12,000# CTWT
67	Working Range Diagram, 16,000# CTWT
68-72	Lifting Capacities, 16,000# CTWT

Fully Retracted Outriggers

73	Working Range Diagram, 8,000# CTWT
74-76	Lifting Capacities, 8,000# CTWT
77	Working Range Diagram, 12,000# CTWT
78-80	Lifting Capacities, 12,000# CTWT

On Tires

81	Working Range Diagram, 8,000# CTWT
82-86	Lifting Capacities, 8,000# CTWT
87	Working Range Diagram, 12,000# CTWT
88-92	Lifting Capacities, 12,000# CTWT
93	Working Range Diagram, 16,000# CTWT
94-97	Lifting Capacities, 16,000# CTWT
98	Patent Information

